ZITHA TECH SPECIALTY CABLES (Pty) Ltd

Japanese-branded optical receiver 40G



Overview

40G Transceivers by JTOPTICS deliver high-speed optical data transmission and are ideal for data centers, enterprise networks, and telecom applications. Engineered for reliability and scalability, these transceivers ensure efficient and seamless communication across various network infrastructures. MACOM offers 40G and 50G amplified PIN photoreceivers with high responsivity PIN photodiodes usable from 1200 – 1650 nm. These products are available in butterfly packages with single-mode fiber and coaxial output connectors. MACOM serves customers with a broad product portfolio that incorporates. This Analog Optical Receiver has low noise, long transmission distance, operating frequency up to 40GHz, integrated optical monitoring and alarm function, high dynamic range. Trusted by 260K+. The DSC-R410 balanced receiver product family is ideally suited for a variety of applications up to 40 Gb/s such as DPSK, DQPSK and Dual Polarization DPSK. The DSC-R410. Support 40G ethernet, data center, enterprise, and Infiniband applications with Precision OT's range of 40G QSFP+ optical transceivers for link distances of a few meters up to 80km.



© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Article Content

JTOPTICS 40G Transceivers | High-Performance 40G Solutions

40G Transceivers by JTOPTICS deliver high-speed optical data transmission and are ideal for data centers, enterprise networks, and telecom applications. Engineered for reliability and scalability,

40G Analog Optical Receiver Module

This Analog Optical Receiver has low noise, long transmission distance, operating frequency up to 40GHz, integrated optical monitoring and alarm function, high dynamic range.

40G QSFP+ Transceiver Modules | Optical

FS 40G QSFP+ optical transceiver module solutions offer a full range of QSFP+ modules from 150m to 80km reach, and used for high-density switching, routing

40G DPSK DQPSK Balanced Optical Receivers

The DSC-R410 balanced receiver is ideally suited for apps up to 40 Gb such as DPSK, DQPSK and Dual Polarization DPSK. It is available in two configurations: balanced receiver module and plug-and

40G Optical Transceivers and Cables Portfolio | FS

The series of product adopts LC or MTP/MPO connector and operates over Single Mode or Multimode optical fiber. They can be used for connections from 150m up to 40km and are suitable for 40G

Optoplex Corporation

The integrated 40-Gb/s DP-QPSK receiver incorporates two 90° optical hybrids with four pairs of balanced photodetector (PD) and four linear TIAs into a single butterfly package.

100G/200G/400G Coherent Optical Receivers

Coherent Optical Receivers are designed for 100 Gb, 200 Gb and 400 Gb fiber optic communication systems. Optical Dual Polarization QPSK (DP-QPSK) and 16 QAM modulation formats are detected

40G QSFP+ Cable and Transceiver Modules Data Sheet | FS

QSFP+ 40G to QSFP+ 40G AOC cables (Figure 11) are suitable for short distances and offer a flexible way to connect within racks and across racks. Active optical cables are much thinner

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

What is a 40G Optical transceiver? What Are the Characteristics?

Ⅳ. What are the characteristics of 40G optical transceivers? 1. Reasonably and effectively use the transmission frequency band, and the spectral efficiency is relatively high; 2. The cost is effectively

Photoreceiver

Photoreceiver | The Optilab PR-40G-M is a high speed photo receiver module. Featuring 32 GHz bandwidth and 500V/W conversion gain, this module can be used in digital application as high as 40

PT-40G PIN Receivers

PT-40G PIN Receivers The PT-40G is a -10.5 dBm sensitivity, differential-output receiver module for OC-768 transmission system receive applications. It couples a back-illuminated PIN photodiode,

20 GHz Linear InGaAs Optical Receiver

20 GHz Linear InGaAs Optical Receiver Description: The DSC-R401HG is a linear and versatile PIN + transimpedance amplifier suited for a variety of digital and analog applications. The R401HG offers a

NeoPhotonics Unveils PIC-Based 40/100G Receiver

NeoPhotonics Unveils PIC-Based 40/100G Receiver NeoPhotonics Announces an Integrated Coherent Receiver with an Integrated Polarizing Beam Splitter NeoPhotonics announces

40G DPSK DQPSK Balanced Optical Receivers

The DSC-R410 balanced receiver product family is ideally suited for a variety of applications up to 44 Gb/s such as DPSK, DQPSK and Dual-Polarization DPSK.

Optoplex Corporation

Optoplex Corporation is a leading supplier of cutting-edge photonic components, modules and subsystems for dynamic wavelength management and signal conditioning. The company designs,

40G QSFP+ ER4 DML CWDM4 40km Optical Transceiver

GIGALIGHT 40G QSFP+ ER4 optical transceiver module is designed for long-distance interconnections in data centers. It complies with the IEEE 802.3bm 40GBASE-ER4 Ethernet transmission protocol

40G Optical Transceivers and Cables Portfolio | FS

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

40GBASE Optical Transceivers and Cables Portfolio Product Overview The 40G transceiver module portfolio offersc ustomers awide variety of high-density and low-power 40Gigabit Ethernet

A high-sensitivity 40-Gbit/s optical receiver using packaged GaAs HBT ...

In this paper, we report the development of 40-Gbit/s optical receiver that employs three packaged AlGaAs-InGaAs HBT ICs: a preamplifier, a distributed amplifier, and a D-type flip-flop circuit.

Contact Us

Continue your research online:

Website: https://zithatech.co.za
Technical inquiry: https://zithatech.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved