ZITHA TECH SPECIALTY CABLES (Pty) Ltd

Relay Protection Inverse Time Measurement



Overview

IDMT is an abbreviation for Inverse Definite Minimum Time. Essentially, an IDMT curve informs us how long a protective relay will wait before tripping when it discovers an overcurrent fault. The “Inverse” portion is that the larger the fault current, the quicker the relay will trip. How to convert from a Time Dial Multiplier (TDM) to a Time Dial (TD)?

For IEEE curves, convert from a Time Dial Multiplier (TDM) to a Time Dial (TD) as follows: What is Inverse Time Overcurrent (TOC)?

Inverse Time Over Current (TOC), also referred to as Time Over Current (TOC), or Inverse Definite. Selective short-circuit protection can be achieved in different ways, such as: Time-graded protection Time- and current-graded protection A straightforward way of obtaining selective protection is to use time grading. The principle is to grade the operating times of the relays in such a way that. The generic Inverse Definite Minimum Time (IDMT) time current curve calculator will allow you to not only produce curves for standard IEC and IEEE relay characteristics but will give a trip time for a given arcing current. Why would you use it?

By using the calculator, a time for operation can be. The controller uses this equation from IEC 60255-151 to calculate the time that the current measurement may be over the set point before the inverse time over-current alarm is activated: The controller includes these standard inverse time over-current curves, in accordance with IEC 60255-151.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Article Content

Distribution Automation Handbook

In these cases, the use of inverse time relays in favor of definite time relays can usually speed up the operating time of the protection at high fault current magnitudes. Time grading with fuses is also

IDMT Relay Time Current Curve Calculator Guide

The generic Inverse Definite Minimum Time (IDMT) time current curve calculator will allow you to not only produce curves for standard IEC and IEEE relay

Inverse time over-current (ANSI 51)

The controller uses this equation from IEC 60255-151 to calculate the time that the current measurement may be over the set point before the inverse time over-current alarm is activated:

Mathematical Modeling of Inverse-Time Overcurrent Relay

This chapter aims to discuss the confusion behind the models used to calculate the operating time of inverse-time overcurrent relays. The literature contains many equations where some of them are

Inverse Defined Minimum Time (IDMT) Calculator

Use the IDMT Calculator to calculate protected relay travel times. This online Excel tool assists in determining proper overcurrent protection

What is IDMT Curve and how to calculate it? Explained!

IDMT Curve explains how protection relays trip faster with higher faults while ensuring a minimum time delay. Learn how to calculate it step-by-step.

IEC Overcurrent Relay Settings Guide | PDF

It provides: 1) The standard formula used to calculate the operating time of IDMT curves based on parameters like time multiplier settings (TMS), measured

Adaptive Inverse-Time Elements Take Microprocessor-Based

The dynamically configurable inverse-time element presented in this paper provides relay adaptability without disabling the relay and is suitable for multiple applications without the need for

Modeling of Inverse Time Overcurrent Relay Protection in Distribution ...

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

By implementing inverse time characteristics in overcurrent protection, it is possible to achieve a faster trip time during high fault currents, thereby enhancing the protection''s flexibility.

Inverse Time Overcurrent Relay Insights

1) Inverse time overcurrent relays operate with a time delay that is inversely proportional to the fault current, meaning the higher the current, the

IDMT Relay Tripping Time Calculator

An IDMT (Inverse Definite Minimum Time) relay is a type of protective relay that is used to provide overcurrent protection for electrical systems. IDMT relays are

Inverse definite minimum time overcurrent relay coordination using ...

The application of the inverse definite minimum time (IDMT) overcurrent relay to power system protection is reviewed, and the present methods for determining its settings are briefly

Difference between instantaneous, definite time and

When electromechanical relays were still used, inverse time relays, definite time relays, and instantaneous relays were separate relays. Modern

NITTTR, Kolkata

When a protection element is programmed as an inverse time over current (OC) element, the trip relay operates if, the input signal exceeds the set threshold OC

Inverse Time Over Current (TOC/IDMT) relay trip time

The Inverse Time Over Current (TOC/IDMT) relay trip time calculator calculates the protection trip time according to IEC 60255 and IEEE C37.112-1996 protection

FAQ03219 for Measuring / Motor Protective Relays

Inverse-time operation characteristics make it possible to prevent unnecessary operation stops by using the inrush current at start-up to trip the motor or

Relay Tripping Time Calculator

This free Inverse Definate Mean Time Calculator (IDMT) calculates the tripping time of a protection relay based on IEC 60255 and IEEE C37.112.

JETIR Research Journal

The measurement of relay operating time has long been a fundamental aspect of protection system engineering. Inverse Definite Minimum Time (IDMT) relays are widely used in medium-voltage

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Power System Protective Relays: Principles & Practices

Protective relays and devices have been developed over 100 years ago to provide “lastline”of defense for the electrical systems. They are intended to quickly identify a fault and isolate it so the balance of

Electromechanical Relays

Electromechanical relays have been the traditional backbone of electrical protection systems. While over recent years these have been replaced

(PDF) Application and settings inverse time relay

Application and settings inverse time relay characteristics for feeders overcurrent protection July 2005 DOI: 10.1049/cp:20051167 Source IEEE Xplore

What is Inverse Time Relay?

This article explains Inverse Time Relay covering its definition operating time relationship mechanical accessories and characteristics for power system protection

Inverse Time Delay Relay

Inverse Time Delay Relay Definition: A dependent time delay relay having an operating time which is an inverse function of the electrical characteristic

FAQ03219 of Measuring / Motor Protective Relays FAQ

Inverse-time operation characteristics make it possible to prevent unnecessary operation stops by using the inrush current at start-up to trip the motor or stopping the motor when an overload condition

Inverse Time Overcurrent Relay Insights

1) Inverse time overcurrent relays operate with a time delay that is inversely proportional to the fault current, meaning the higher the current, the

IDMT Relay Tripping Time Calculator

An IDMT (Inverse Definite Minimum Time) relay is a type of protective relay that is used to provide overcurrent protection for electrical systems. IDMT relays are

Inverse definite minimum time overcurrent relay coordination using ...

The application of the inverse definite minimum time (IDMT) overcurrent relay to power system protection is reviewed, and the present methods for determining its settings are briefly

Difference between instantaneous, definite time and

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

When electromechanical relays were still used, inverse time relays, definite time relays, and instantaneous relays were separate relays. Modern

NITTTR, Kolkata

When a protection element is programmed as an inverse time over current (OC) element, the trip relay operates if, the input signal exceeds the set threshold OC

Inverse Time Over Current (TOC/IDMT) relay trip time

The Inverse Time Over Current (TOC/IDMT) relay trip time calculator calculates the protection trip time according to IEC 60255 and IEEE C37.112-1996 protection

Implementation of Inverse Define Minimum Time Under

value, the relay is reset dur ing relay service (230V AC). Keywords Inverse define minimum time, protective relay, over-voltage, trip time, preset

Protectability Evaluation for Overcurrent Relay based on a ...

The overcurrent relays are also used as a backup unit protection device for other protection relays such as the distance protection relays . Presently the Inverse Definite Minimum Time

National Institute of Technical Teachers'' Training and Research ...

In an inverse definite minimum time, electromagnetic type over-current relay, the minimum time feature is achieved because of saturation of the magnetic circuit.

Distribution Automation Handbook

In these cases, the use of inverse time relays in favor of definite time relays can usually speed up the operating time of the protection at high fault current magnitudes. Time grading with fuses is also

IDMT Relay Time Current Curve Calculator Guide

The generic Inverse Definite Minimum Time (IDMT) time current curve calculator will allow you to not only produce curves for standard IEC and IEEE relay

Inverse time over-current (ANSI 51)

The controller uses this equation from IEC 60255-151 to calculate the time that the current measurement may be over the set point before the inverse time over-current alarm is activated:

Mathematical Modeling of Inverse-Time Overcurrent Relay

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

This chapter aims to discuss the confusion behind the models used to calculate the operating time of inverse-time overcurrent relays. The literature contains many equations where some of them are

Inverse Defined Minimum Time (IDMT) Calculator

Use the IDMT Calculator to calculate protected relay travel times. This online Excel tool assists in determining proper overcurrent protection

What is IDMT Curve and how to calculate it? Explained!

IDMT Curve explains how protection relays trip faster with higher faults while ensuring a minimum time delay. Learn how to calculate it step-by-step.

IEC Overcurrent Relay Settings Guide | PDF

It provides: 1) The standard formula used to calculate the operating time of IDMT curves based on parameters like time multiplier settings (TMS), measured

Adaptive Inverse-Time Elements Take Microprocessor-Based

The dynamically configurable inverse-time element presented in this paper provides relay adaptability without disabling the relay and is suitable for multiple applications without the need for

Modeling of Inverse Time Overcurrent Relay Protection in Distribution ...

By implementing inverse time characteristics in overcurrent protection, it is possible to achieve a faster trip time during high fault currents, thereby enhancing the protection''s flexibility.

Distribution Automation Handbook

In these cases, the use of inverse time relays in favor of definite time relays can usually speed up the operating time of the protection at high fault current magnitudes. Time grading with fuses is also

IDMT Relay Time Current Curve Calculator Guide

The generic Inverse Definite Minimum Time (IDMT) time current curve calculator will allow you to not only produce curves for standard IEC and IEEE relay

Inverse time over-current (ANSI 51)

The controller uses this equation from IEC 60255-151 to calculate the time that the current measurement may be over the set point before the inverse time over-current alarm is activated:

Mathematical Modeling of Inverse-Time Overcurrent Relay

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

This chapter aims to discuss the confusion behind the models used to calculate the operating time of inverse-time overcurrent relays. The literature contains many equations where some of them are

Inverse Defined Minimum Time (IDMT) Calculator

Use the IDMT Calculator to calculate protected relay travel times. This online Excel tool assists in determining proper overcurrent protection

What is IDMT Curve and how to calculate it? Explained!

IDMT Curve explains how protection relays trip faster with higher faults while ensuring a minimum time delay. Learn how to calculate it step-by-step.

IEC Overcurrent Relay Settings Guide | PDF

It provides: 1) The standard formula used to calculate the operating time of IDMT curves based on parameters like time multiplier settings (TMS), measured

Adaptive Inverse-Time Elements Take Microprocessor-Based

The dynamically configurable inverse-time element presented in this paper provides relay adaptability without disabling the relay and is suitable for multiple applications without the need for

Modeling of Inverse Time Overcurrent Relay Protection in Distribution ...

By implementing inverse time characteristics in overcurrent protection, it is possible to achieve a faster trip time during high fault currents, thereby enhancing the protection''s flexibility.

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Contact Us

Continue your research online:

Website: https://zithatech.co.za
Technical inquiry: https://zithatech.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved