ZITHA TECH SPECIALTY CABLES (Pty) Ltd

Specifications and dimensions of optical fiber heat shrink tubing



Overview

Optical Fiber Heat Shrink Tube | Fiber Optic Heat A specially designed cross-linked Clear Heat Shrinkable tubing, with Clear fusion tubing liner, providing.

Key Takeaways

Optical fiber heat shrink tubing provides insulation, environmental sealing, and mechanical protection, with key parameters including shrink ratio, operating temperature, dielectric strength, and chemical resistance.Key Technical Parameters



© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Shrink Ratio: Optical fiber heat shrink tubing typically has a shrink ratio of 2:1 to 3:1, meaning the tubing can reduce to half or one-third of its original diameter when heated, ensuring a snug fit over splices or connectors . Longitudinal shrinkage is usually 5–15%, so extra length should be allowed to fully cover the target section . Operating Temperature: Continuous operating temperatures vary by material. Standard polyolefin tubing can handle -55°C to 135°C, while high-performance fluoropolymer or elastomer tubing can withstand extreme temperature swings, making them suitable for outdoor or high-stress environments . Dielectric Strength: Heat shrink tubing provides electrical insulation, with dielectric strength typically ranging from 10–40 kV/mm, depending on material and wall thickness . This ensures protection for fiber-optic terminations and electronic assemblies. Flame Retardancy: Many optical fiber heat shrink tubes are flame-retardant, meeting industry standards for safety in electrical and outdoor applications . Chemical and Fluid Resistance: Tubing is resistant to oils, coolants, hydraulic fluids, and environmental contaminants, which is critical for automotive, marine, and industrial installations . Adhesive-lined tubing offers watertight sealing against humidity, salt spray, and chemical exposure . Mechanical Protection: Reinforced sleeves often include stainless steel or polymer liners to prevent fiber damage during installation. Clear sleeves allow easy centering of splices before heating, and extended liner lengths prevent contact between the fiber and the backbone . Installation Features: Preshrunk ends and smooth, deburred reinforcing members reduce the risk of fiber damage. Tubing is designed to provide strain relief and maintain alignment during splicing . Applications: Optical fiber heat shrink tubing is widely used in fiber-optic splicing, PCB assemblies, EV battery packs, wire harnesses, and outdoor infrastructure. It ensures long-term durability, environmental sealing, and electrical insulation . By considering these parameters—shrink ratio, temperature range, dielectric strength, flame retardancy, chemical resistance, and mechanical protection—engineers can select the appropriate heat shrink tubing for reliable optical fiber protection and performance.

Article Content

Optical Fiber Heat Shrink Tube | Fiber Optic Heat

A specially designed cross-linked Clear Heat Shrinkable tubing, with Clear fusion tubing liner, providing

Alpha Wire F40020 NA103 Heat Shrink Tubing, 20AWG/0.045

Chemical Resistant Heat Shrink Tubing, -67 to +200 C Operating Temperature, Natural ColorExtreme chemical/high heat resistant

Fiber Optic Adapter

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Fiber Optic Accessories Heat Shrink Tube Overview LongXing optical fiber heat shrink tubes consist of a rod of reinforcing the splice,

Fiber Optic Protection Splicing Sleeves Heat Shrink Tube

All drawings, weights and dimensions details, as well as tube and fibre colours in this document are only indicative and must not be

Fiber Optic Closure Heat Shrink Tube – Maxwel

Heat Shrink Tube for fiber optic closure is made from heavy wall cross-linked polyolefin, coated with spiral

Heat Shrink Fiber Optic Fusion Splice Protection Sleeves

Heat Shrink Fiber Optic Fusion Splice Protection Sleeves 40mm 60mm Benefits Does not interfere with fiber transmission quality

Fiber optic closure heat shrink tubing BH-FOCT

Applications: BH-FOCT Fiber optic closure heat shrink tubing is made of medium wall heat shrinkable tube,

ZoeRax Heat Shrinkable Tubing Fiber Optical Cable 60mm Dia Fusion ...

□Protect Fiber Fusion Points□Clear sleeve makes it easy to detect splices before shrinkage, The fiber optic heat shrink tubes are

Fiber Shrink Tube Fiber Splice Tube

Optic Fiber Heat Shrink Tube is a vital component used to safeguard fiber optic splicing elements. It is composed of cross-linked

ADW

It''s a heavy wall heat shrinkable tubing with inner spiral polyamide hot melt adhesive coated. The outer heavy wall can provide

Heat Shrink Tube: Complete Guide to Types, Sizes, and

Heat shrink tube, also known as heat shrinkable tubing or heat shrink sleeving, is a

How to select the correct size tubing

Heat Shrink Tubing, unlike many other products is designed to change shape when installed. Correctly

Heat Shrink Size Chart & Measurement Guide

Measuring your cabling to determine the right size heat shrink tubing to use is easy but it''s a step you don''t want to

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Cable

Quick view 1/2" Heat Shrink Tubing 2:1 55 FT Roll 1/2" Heat shrink Shrinks to .785" 2□1 heat shrink tube are UL and CSA certified,

Heat Shrink Sizes: Guide to Ratios, Diameters & How to Choose

Learn heat shrink sizes, including diameters, ratios & how to choose the right tubing. Explore size charts & calculate the perfect fit for

3M Heat Shrink Tubing Selection Guide

Product description 3M Heat Shrink Tubing LMFP is a cross-linked, thin-walled, heat-shrinkable tubing ofering a high degree of

Heat Shrink Sizing & Application Guide

What Size Heat Shrink Tubing Do I Need? Determining which heat shrink size is right for you corresponds to the size

Heat Shrink Tubing for Fiber Optic Closures

Heat Shrink Tubing for Fiber Optic Closures Moodel:HSTFC Heat Shrink Tubing for Fiber Optic Closures

Heat Shrink Tubing Selection Guide | Materials, Sizes & Temp Ratings ...

The following information will help you determine what type of heat shrink product is most appropriate for your application. It will

Fiber Optic Closure Heat Shrink Tube – Maxwel

Heat Shrink Tube for fiber optic closure is made from heavy wall cross-linked polyolefin, coated with spiral polyamide adhesive inside

500pcs Dia 5mm 60mm Length Fiber Heat Shrink tubing fibers

□Protect Fiber Fusion Points□Clear sleeve make it easy to detect splice before shrinkage,The fiber heat shrink

Heat Shrink Tubing for Protecting Fiber Optic Cables

Learn about the benefits of using heat shrink tubing to protect fiber optic cables and telecommunication systems to

40mm Clear PE Heat Shrinkable Tube Fiber Optical

Consist of a rod of reinforcing the splice, heat fusion tubing and cross-linked polyolefin, to provide

HOW TO CHOOSE THE RIGHT HEAT SHRINK TUBING SIZE

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Inner Diameter is the actual measurement used to identify the size of heat shrink tubing. It is the length of the tubing from one side to

A Full Guide To Heat Shrink Tubing For Wire And Cable

Heat-shrink tubing differs from other custom insulators and jackets that are added to cables

TE Connectivity

We would like to show you a description here but the site won''t allow us.

Heat Shrink Tubing for Cable Insulation & Protection | Various Sizes

Heat shrink tubing is a versatile solution used for insulation, protection, and strain relief for cables, connectors, and other

Fiber Optical Heat Shrinkable Tubing

Fiber optic heat shrinkable tubes mainly include heat shrinkable tubes, 304 stainless steel rods, and ceramic rods. It can well

Dia 2.6mm 60mm Length Heat Shrinkable Tube 1.0mm Steel Needle

High quality fiber optic fusion splice protector sleeves,Stiffness of connection and quickness of assembly are the basic

TE Connectivity

We would like to show you a description here but the site won''t allow us.

Heat Shrink Tube: Complete Guide to Types, Sizes, and

Heat shrink tube, also known as heat shrinkable tubing or heat shrink sleeving, is a

How to select the correct size tubing

Heat Shrink Tubing, unlike many other products is designed to change shape when installed. Correctly

Heat Shrink Size Chart & Measurement Guide

Measuring your cabling to determine the right size heat shrink tubing to use is easy but it''s a step you don''t want to

Cable

Quick view 1/2" Heat Shrink Tubing 2:1 55 FT Roll 1/2" Heat shrink Shrinks to .785" 2□1 heat shrink tube are UL and CSA certified,

Heat Shrink Sizes: Guide to Ratios, Diameters & How to Choose

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Learn heat shrink sizes, including diameters, ratios & how to choose the right tubing. Explore size charts & calculate the perfect fit for

3M Heat Shrink Tubing Selection Guide

Product description 3M Heat Shrink Tubing LMFP is a cross-linked, thin-walled, heat-shrinkable tubing ofering a high degree of

A Complete Guide to Heat Shrink Tubing

Heat shrink is a form of shrinkable plastic often used in electrical work to insulate wires & cable. Find out more and

Fiber Optic Cable Protection: Heat Shrink Tubing for Telecom Networks

Explore the critical role of heat shrink tubing in safeguarding fiber optic cables within telecom networks. This

100pcs Clear Fiber Fusion Splice Sleeve Kit, 2.6mm 60mm

The fiber optic heat shrink tubes is tight and the metal support maintains its strength to prevent the fiber from breaking at the splice.

Fiber Optic Heat Shrinkable Splice Tube-Broalink

Fiber Optic Heat Shrinkable Splice Tube Broalink Splice Protection Sleeves consist of cross linked polyolefin, Hot fusion tubing and

Heat Shrink Sizing & Application Guide

What Size Heat Shrink Tubing Do I Need? Determining which heat shrink size is right for you corresponds to the size

Heat Shrink Tubing for Fiber Optic Closures

Heat Shrink Tubing for Fiber Optic Closures Moodel:HSTFC Heat Shrink Tubing for Fiber Optic Closures (terminal box) is with a

Heat Shrink Tubing Selection Guide | Materials, Sizes & Temp Ratings ...

The following information will help you determine what type of heat shrink product is most appropriate for your application. It will

Fiber Optic Closure Heat Shrink Tube – Maxwel

Heat Shrink Tube for fiber optic closure is made from heavy wall cross-linked polyolefin, coated with spiral polyamide adhesive inside

Optical Fiber Heat Shrink Tube | Fiber Optic Heat

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

A specially designed cross-linked Clear Heat Shrinkable tubing, with Clear fusion tubing liner, providing

Alpha Wire F40020 NA103 Heat Shrink Tubing, 20AWG/0.045

Chemical Resistant Heat Shrink Tubing, -67 to +200 C Operating Temperature, Natural ColorExtreme chemical/high heat resistant

Fiber Optic Adapter

Fiber Optic Accessories Heat Shrink Tube Overview LongXing optical fiber heat shrink tubes consist of a rod of reinforcing the splice,

Fiber Optic Protection Splicing Sleeves Heat Shrink Tube

All drawings, weights and dimensions details, as well as tube and fibre colours in this document are only indicative and must not be

Fiber Optic Closure Heat Shrink Tube – Maxwel

Heat Shrink Tube for fiber optic closure is made from heavy wall cross-linked polyolefin, coated with spiral

Heat Shrink Fiber Optic Fusion Splice Protection Sleeves

Heat Shrink Fiber Optic Fusion Splice Protection Sleeves 40mm 60mm Benefits Does not interfere with fiber transmission quality

Fiber optic closure heat shrink tubing BH-FOCT

Applications: BH-FOCT Fiber optic closure heat shrink tubing is made of medium wall heat shrinkable tube,

ZoeRax Heat Shrinkable Tubing Fiber Optical Cable 60mm Dia Fusion ...

□Protect Fiber Fusion Points□Clear sleeve makes it easy to detect splices before shrinkage, The fiber optic heat shrink tubes are

Fiber Shrink Tube Fiber Splice Tube

Optic Fiber Heat Shrink Tube is a vital component used to safeguard fiber optic splicing elements. It is composed of cross-linked

ADW

It''s a heavy wall heat shrinkable tubing with inner spiral polyamide hot melt adhesive coated. The outer heavy wall can provide

Optical Fiber Heat Shrink Tube | Fiber Optic Heat

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

A specially designed cross-linked Clear Heat Shrinkable tubing, with Clear fusion tubing liner, providing

Alpha Wire F40020 NA103 Heat Shrink Tubing, 20AWG/0.045

Chemical Resistant Heat Shrink Tubing, -67 to +200 C Operating Temperature, Natural ColorExtreme chemical/high heat resistant

Fiber Optic Adapter

Fiber Optic Accessories Heat Shrink Tube Overview LongXing optical fiber heat shrink tubes consist of a rod of reinforcing the splice,

Fiber Optic Protection Splicing Sleeves Heat Shrink Tube

All drawings, weights and dimensions details, as well as tube and fibre colours in this document are only indicative and must not be

Contact Us

Continue your research online:

Website: https://zithatech.co.za
Technical inquiry: https://zithatech.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved