ZITHA TECH SPECIALTY CABLES (Pty) Ltd

Standard turns ratio for relay protection



Overview

The CT ratio directly determines relay sensitivity and pickup accuracy. Standard practice recommends selecting CT primary ratings 25-50% above maximum expected load current to provide thermal margin. Comprehensive reference chart for current transformer (CT) ratios from 50A to 6000A. For example, a 400:5 CT steps down 400 Amps to 5 Amps—an. Protection relays employ a wide range of configurable parameters to identify defects & trip the breaker in a controlled & selected manner. Understanding each setting facilitates proper relay coordination. TSM – Time. Abstract: Correctly selecting the transformation ratio for Current Transformers (CT) and Voltage Transformers (PT) is fundamental to ensuring the accuracy of electrical measurements and the reliability of protective relaying in power systems. This guide will detail the standardized principles for. Use this Protection Relay Setting Calculator to calculate pickup current, time multiplier settings (TMS), operating time, coordination time interval (CTI), and plug setting multiplier (PSM) using fault current, CT ratio, and IEC 60255 curve parameters. Think of it as a translator that converts massive, unmanageable currents into small, safe signals that relays and meters can understand.



© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Article Content

CT Ratio Chart: Standard Ratios from 5/5 to 6000/5

Complete CT ratio chart with standard ratios for metering and protection CTs. Includes primary current ranges, accuracy class recommendations, and

Relay Protection Settings (PSM, TSM, EL, OL, MF)

Protection relays employ a wide range of configurable parameters to identify defects & trip the breaker in a controlled & selected manner.

How to Choose the Right Turns Ratio of CT/PT?

This article explains how to select the correct turns ratio for current transformers (CT) and potential transformers (PT) based on system voltage and current

Protection Relay Setting Interactive Calculator | FIRGELLI

Use this Protection Relay Setting Calculator to calculate pickup current, time multiplier settings (TMS), operating time, coordination time interval

Current Solutions: Mastering the Art of the CT Turns Ratio

Standardization: CTs typically step current down to a standard 1A or 5A secondary output. This allows manufacturers to build universal relays that work regardless of whether the main

FEEDER PROTECTION CALCULATIONS & SETTINGS

The settings of the instantaneous elements, and the TAP and DIAL settings of the relays to guarantee a coordinated protection arrangement, allowing a discrimination margin of 0.4 seconds

Distribution Automation Handbook

Because the protection areas of the interlocking-based protection concept are not overlapping and because they do not reach into the protection area of the next relays in the protection chain, a

Pick Up Current | Current Setting | Plug Setting

Plug setting multiplier of relay is referred as ratio of fault current in the relay to its pick up current. Suppose we have connected on protection CT of

Overcurrent Protection Settings Guide | PDF | Relay

The document discusses overcurrent protection calculations and settings for a power system network. It provides a single line diagram of the system and key

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Fundamentals of Modern Protective Relaying

A primary motor protective element of the motor protection relay is the thermal overload element and this is accomplished through motor thermal image modeling. This model must account for thermal

Understanding IEEE Standards for Protection Relays: Key Guidelines

Conclusion IEEE Standards for Protection Relays provide essential guidelines for engineers, ensuring reliable and coordinated protection schemes in electrical power systems.

The Relay Testing Handbook: Principles and Practice

This online protective relay testing seminar follows Chris Werstiuk (author of The Relay Testing Handbook) as he tests a relay from start to finish. You''ll learn the basic skills needed to test any

ResearchGate

ResearchGate

HANDBOOK

ACKNOWLEDGEMENTS The ''Hand Book'' covers the Code of Practice in Protection Circuitry including standard lead and device numbers, mode of connections at terminal strips, colour codes in multicore

51 Relay Setting vs. CT Ratio

SKM and some other publications recommend selecting the CT ratio on the primary side of a transformer to be 200% of transformer FLA base rating and to set the 51 pickup at 110-140% of

CT Sizing for Generator and Transformer Protective Relays

CT Sizing for Generator and Transformer Protective Relays Ritwik Chowdhury, Dale Finney, and Normann Fischer Schweitzer Engineering Laboratories, Inc.

Determining CT Requirements for Generator and Transformer Protective Relays

Abstract—Modern relays often have algorithms that enhance the security of elements that are otherwise susceptible to current transformer (CT) saturation. While both IEEE and IEC provide

Home

Home - IEEE Region 5

Selecting CTs to Optimize Relay Performance

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

The criterion has been used in a five-step CT selection procedure for line protection, which determined the CT ratio using the maximum fault in amperes, the system X/R ratio, and the CT burden

CT Ratio Chart: Standard Ratios from 5/5 to 6000/5

Complete CT ratio chart with standard ratios for metering and protection CTs. Includes primary current ranges, accuracy class recommendations, and

Power System Protective Relays: Principles & Practices

Abstract: Protective relays and devices have been developed over 100 years ago to provide “last line” of defense for the electrical systems. They are intended to quickly identify a fault and isolate it so the

Microsoft Word

IEEE Power System Relay Collection: VuSpecTM Power system relaying standards concentrate on the application, design, construction and operation of protective, regulating, monitoring, reclosing, synch

What Does the Turns Ratio in a Transformer Indicate?

How does the turns ratio interact with protective relay settings? Relay calibration often hinges on a known coil ratio to translate primary currents or

Selecting CTs to Optimize Relay Performance

Previously presented at the 1999 Pennsylvania Electric Association Electrical Equipment and Protection Committee, September 1999, 51st Annual Georgia Tech Protective Relaying

Microsoft Word

OVERCURRENT PROTECTION FUNDAMENTALS Relay protection against high current was the earliest relay protection mechanism to develop. From this basic method, the graded overcurrent relay

CT selection for Arcteq relays

Particularly in applications that require specific data (for example, turns ratios outside common ranges), it can be suitable to avoid restrictions imposed by specific class types and allow the CT manufacturer

Understanding IEEE Standards for Protection Relays: Key Guidelines

Conclusion IEEE Standards for Protection Relays provide essential guidelines for engineers, ensuring reliable and coordinated protection schemes in electrical power systems.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

The Relay Testing Handbook: Principles and Practice

This online protective relay testing seminar follows Chris Werstiuk (author of The Relay Testing Handbook) as he tests a relay from start to finish. You''ll learn the basic skills needed to test any

ResearchGate

ResearchGate

HANDBOOK

ACKNOWLEDGEMENTS The ''Hand Book'' covers the Code of Practice in Protection Circuitry including standard lead and device numbers, mode of connections at terminal strips, colour codes in multicore

51 Relay Setting vs. CT Ratio

SKM and some other publications recommend selecting the CT ratio on the primary side of a transformer to be 200% of transformer FLA base rating and to set the 51 pickup at 110-140% of

CT Sizing for Generator and Transformer Protective Relays

CT Sizing for Generator and Transformer Protective Relays Ritwik Chowdhury, Dale Finney, and Normann Fischer Schweitzer Engineering Laboratories, Inc.

Transformer Protection Application Guide

Transformer Protection Application Guide This guide focuses primarily on application of protective relays for the protection of power transformers, with an emphasis on the most prevalent protection schemes

Standards for Transformer Protection | Delgado Relay Protection

These standards provide guidelines for relay selection, coordination, and settings and help ensure the safe and efficient operation of power systems. By following these standards,

CURRENT, VOLTAGE, DIRECTIONAL, CURRENT (OR VOLTAGE)

CONTINUOUS AND SHORT-TIME RATINGS All relays carry current- and/or voltage-coil ratings as a guide to their proper application. For relays complying with present standards, the continuous rating

A comprehensive guide to correct calculation for

By the end of this article, readers will gain a comprehensive understanding of the step-by-step process involved in calculating the differential

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

CT Ratio Chart: Standard Ratios from 5/5 to 6000/5

Complete CT ratio chart with standard ratios for metering and protection CTs. Includes primary current ranges, accuracy class recommendations, and

Relay Protection Settings (PSM, TSM, EL, OL, MF)

Protection relays employ a wide range of configurable parameters to identify defects & trip the breaker in a controlled & selected manner.

How to Choose the Right Turns Ratio of CT/PT?

This article explains how to select the correct turns ratio for current transformers (CT) and potential transformers (PT) based on system voltage and current

Protection Relay Setting Interactive Calculator | FIRGELLI

Use this Protection Relay Setting Calculator to calculate pickup current, time multiplier settings (TMS), operating time, coordination time interval

Current Solutions: Mastering the Art of the CT Turns Ratio

Standardization: CTs typically step current down to a standard 1A or 5A secondary output. This allows manufacturers to build universal relays that work regardless of whether the main

FEEDER PROTECTION CALCULATIONS & SETTINGS

The settings of the instantaneous elements, and the TAP and DIAL settings of the relays to guarantee a coordinated protection arrangement, allowing a discrimination margin of 0.4 seconds

Distribution Automation Handbook

Because the protection areas of the interlocking-based protection concept are not overlapping and because they do not reach into the protection area of the next relays in the protection chain, a

Pick Up Current | Current Setting | Plug Setting

Plug setting multiplier of relay is referred as ratio of fault current in the relay to its pick up current. Suppose we have connected on protection CT of

Overcurrent Protection Settings Guide | PDF | Relay

The document discusses overcurrent protection calculations and settings for a power system network. It provides a single line diagram of the system and key

Fundamentals of Modern Protective Relaying

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

A primary motor protective element of the motor protection relay is the thermal overload element and this is accomplished through motor thermal image modeling. This model must account for thermal

CT Ratio Chart: Standard Ratios from 5/5 to 6000/5

Complete CT ratio chart with standard ratios for metering and protection CTs. Includes primary current ranges, accuracy class recommendations, and

Relay Protection Settings (PSM, TSM, EL, OL, MF)

Protection relays employ a wide range of configurable parameters to identify defects & trip the breaker in a controlled & selected manner.

How to Choose the Right Turns Ratio of CT/PT?

This article explains how to select the correct turns ratio for current transformers (CT) and potential transformers (PT) based on system voltage and current

Protection Relay Setting Interactive Calculator | FIRGELLI

Use this Protection Relay Setting Calculator to calculate pickup current, time multiplier settings (TMS), operating time, coordination time interval

Current Solutions: Mastering the Art of the CT Turns Ratio

Standardization: CTs typically step current down to a standard 1A or 5A secondary output. This allows manufacturers to build universal relays that work regardless of whether the main

FEEDER PROTECTION CALCULATIONS & SETTINGS

The settings of the instantaneous elements, and the TAP and DIAL settings of the relays to guarantee a coordinated protection arrangement, allowing a discrimination margin of 0.4 seconds

Distribution Automation Handbook

Because the protection areas of the interlocking-based protection concept are not overlapping and because they do not reach into the protection area of the next relays in the protection chain, a

Pick Up Current | Current Setting | Plug Setting

Plug setting multiplier of relay is referred as ratio of fault current in the relay to its pick up current. Suppose we have connected on protection CT of

Overcurrent Protection Settings Guide | PDF | Relay

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

The document discusses overcurrent protection calculations and settings for a power system network. It provides a single line diagram of the system and key

Fundamentals of Modern Protective Relaying

A primary motor protective element of the motor protection relay is the thermal overload element and this is accomplished through motor thermal image modeling. This model must account for thermal

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://zithatech.co.za
Technical inquiry: https://zithatech.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved