
ZITHA TECH SPECIALTY CABLES (Pty) Ltd

Use Case of Fiber Optic Sensor



Overview

Extrinsic fiber-optic sensors use an optical fiber cable, normally a multimode one, to transmit modulated light from either a non-fiber optical sensor, or an electronic sensor connected to an optical transmitter. A major benefit of extrinsic sensors is their ability to reach places which are otherwise inaccessible. An example is the measurement of temperature inside aircraft jet engines by using a fiber to transmit radiation into a radiation pyrometer located outside the engine.

Key Takeaways

Fiber optic sensors are widely used in infrastructure monitoring, industrial processes, healthcare, energy, and aerospace due to their high sensitivity, EMI immunity, and ability to operate in harsh environments.Structural Health Monitoring

Fiber optic sensors are extensively deployed in bridges, tunnels, and buildings to monitor stress, strain, and vibrations. They provide continuous, real-time data, enabling early detection of structural issues and reducing maintenance costs. For example, large bridges equipped with these sensors can detect minute shifts that indicate potential failure points, extending infrastructure lifespan by up to 30% and preventing accidents .

Oil and Gas Industry



© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

In oil and gas exploration and production, fiber optic sensors monitor well integrity, temperature, and pressure in extreme conditions where traditional sensors may fail. They allow real-time detection of leaks or equipment failures, improving safety and operational efficiency. Offshore platforms and pipelines benefit from these sensors to prevent environmental hazards and increase uptime by 15–20% .

Healthcare and Medical Devices

Fiber optic sensors are integrated into medical diagnostics and treatment devices, enabling minimally invasive procedures such as endoscopies. They provide high-resolution imaging and monitor vital signs like blood pressure and oxygen levels with high accuracy. Their non-invasive nature ensures patient safety while delivering precise, real-time data .

Telecommunications

In telecom networks, fiber optic sensors monitor signal power levels and disturbances along cables. Their small size and flexibility allow integration into complex infrastructures, ensuring reliable and uninterrupted service .

Aerospace and High-Voltage Applications

Fiber optic sensors are used in aerospace to monitor electrical systems in spacecraft and aircraft, functioning reliably under extreme temperatures and electromagnetic interference. Similarly, fiber optic current sensors measure electrical currents in high-voltage environments without direct contact, enhancing safety and precision .

Industrial and Remote Sensing

Fiber optic sensors are ideal for industrial process monitoring and remote sensing in harsh environments with high electrical noise, extreme temperatures, or vibrations. They can measure temperature, pressure, vibration, displacement, rotation, and chemical presence, often using techniques like fiber Bragg gratings, Raman or Brillouin scattering, and interferometry for high-accuracy measurements .

Key Advantages
• Electromagnetic interference immunity

• High sensitivity and precision

• Ability to operate in harsh or hazardous environments

• Compact, lightweight, and flexible design

• Capability for distributed and remote sensing over long distances These features make fiber optic sensors increasingly preferred over traditional electronic sensors in applications where reliability, safety, and real-time monitoring are critical .

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved

Article Content

Fiber-optic sensor

Extrinsic fiber-optic sensors use an optical fiber cable, normally a multimode one, to transmit modulated light from either a non-fiber optical sensor, or an electronic sensor connected to an optical transmitter. A major benefit of extrinsic sensors is their ability to reach places which are otherwise inaccessible. An example is the measurement of temperature inside aircraft jet engines by using a fiber to transmit radiation into a radiation pyrometer located outside the engine. Extrinsic sensors can also be used in the same w

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://zithatech.co.za
Technical inquiry: https://zithatech.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ZITHA TECH SPECIALTY CABLES (Pty) Ltd - All rights reserved